

Short Form Classification Report No. 21633G

PRODUCT

LEXAN™ EXTRITE™ - EXTRITE2

SPONSOR

SABIC PROCUREMENT / SABIC

PRODUCT DETAILS

- Nominal thickness of the polycarbonate core: 2 mm – 6 mm
- Nominal density of the polycarbonate core: 1200 kg/m³
- Colour and light transmission: transparent – > 88% light transmission
- Two sided protected sheet
- Surface structure: Smooth
- Without use of fire retardants
- Organic pigmentation: 0,001 weight %

FIELD OF APPLICATION

- Free standing in accordance with EN 13823
- Without joints
- With edge finishing of at least Euro class A2-s1,d0 (protection of cut edges)

CLASSIFICATION

B-s1,d0

STANDARDS

Test standard: EN ISO 11925-2:2020 & EN 13823:2020

Classification standard: EN 13501-1:2018

SIGNED

APPROVED

For and on behalf of WFRGent nv

This short form classification report has been drafted according to EGOLF agreement EGA 039:2021 "Application note: clause 7.8 [7.8/1] – Types of reports". It has not been drafted under the requirements of EN ISO/IEC 17025 accreditation and is not valid to officially classify a product. The full classification report No. **21633F** is available at **SABIC PROCUREMENT / SABIC**.

This document is the original version of this report and is written in English. This document may be used only literally and completely for publications. For publications of certain texts, in which this document is mentioned, our permission must be obtained in advance.

The authenticity of the electronic signatures is assured by Belgium Root CA.